




ROOF MOUNT SOLAR ATTIC FAN

- 32 and 48 watt models with adjustable solar panel
- Fully functional right out of box
- Powder coated black, bronze or mill finish aluminum
- Fits all roof slopes and roof types
- Meets stringent requirements of the Florida Building Code
- Hurricane Tested and Rated – HVHZ Compliant
- Limited Lifetime Warranty



Black	MODEL		PRODUCT DESCRIPTION
	Bronze	Mill Finish	
SAF32BL	SAF32BR	SAF32ML	32 Watt Roof Mount (output up to 1,560 cfms)
SAF48BL	SAF48BR	SAF48ML	48 Watt Roof Mount (output up to 1,881 cfms)




CURB MOUNT SOLAR ATTIC FAN

- 32 and 48 watt models with adjustable solar panel
- Fully functional right out of box
- Powder coated black, bronze or mill finish aluminum
- Installs over pre-built curb or Kennedy SAF-ACWU curb
- Meets stringent requirements of the Florida Building Code
- Hurricane Tested and Rated – HVHZ Compliant
- Limited Lifetime Warranty



Black	MODEL		PRODUCT DESCRIPTION
	Bronze	Mill Finish	
SAF32BLCM	SAF32BRCM	SAF32MLCM	32 Watt Curb Mount (output up to 1,560 cfms)
SAF48BLCM	SAF48BRCM	SAF48MLCM	48 Watt Curb Mount (output up to 1,881 cfms)




GABLE MOUNT SOLAR ATTIC FAN

- Available in 3 sizes: 32, 48, and 65 watt models
- Fan housing installs into existing gable opening
- Solar panel installed remotely on roof
- Fits all roof slopes and roof types
- Hurricane Tested and Rated – HVHZ Compliant
- Limited Lifetime Warranty



MODEL	PRODUCT DESCRIPTION
SAF32G	32 Watt Gable Mount (output up to 1,560 cfms)
SAF48G	48 Watt Gable Mount (output up to 1,881 cfms)
SAF65G	65 Watt Gable Mount (output up to 2,105 cfms)




ULTRA LOW PROFILE ROOF MOUNT

- Features a compact, roof-hugging design
- 35 watt fan is fully functional right out of box
- Powder coated black, bronze or mill finish aluminum
- Fits all roof slopes and roof types
- Fixed solar panel withstands hurricane and tornadic winds
- Meets stringent requirements of the Florida Building Code
- Hurricane Tested and Rated – HVHZ Compliant
- Limited Lifetime Warranty



MODEL			PRODUCT DESCRIPTION
Black	Bronze	Mill Finish	
SAF35BLLP	SAF35BRLP	SAF35MLLP	35W Low-Pro Roof (output up to 1,597 cfms)



ULTRA LOW PROFILE CURB MOUNT

- Features a compact, roof-hugging design
- 35 watt fan is fully functional right out of box
- Powder coated black, bronze or mill finish aluminum
- Installs over pre-built curb or Kennedy SAF-ACWU curb
- Fixed solar panel withstands hurricane and tornadic winds
- Meets stringent requirements of the Florida Building Code
- Hurricane Tested and Rated – HVHZ Compliant
- Limited Lifetime Warranty



MODEL			PRODUCT DESCRIPTION
Black	Bronze	Mill Finish	
SAF35BLLPCM	SAF35BRLPCM	SAF35MLLPCM	35W Low-Pro Curb (output up to 1,597 cfms)



TILE PROFILE ROOF MOUNT

- Features a compact design
- 35 watt fan is functional right out of box
- Powder coated black, bronze or mill finish aluminum
- Housing sits 3" higher than the Low Profile model to accommodate thicker tile or slate roofing
- Perfect solution for the popular S-style tile roofs
- Fixed solar panel withstands hurricane and tornadic winds
- Meets stringent requirements of the Florida Building Code
- Hurricane Tested and Rated – HVHZ Compliant
- Limited Lifetime Warranty



MODEL			PRODUCT DESCRIPTION
Black	Bronze	Mill Finish	
SAF35BLTP	SAF35BRTP	SAF35MLTP	35 Watt Tile Profile (output up to 1,597 cfms)



Solar Attic Fan Aluminum Curb with Spruce Wood Interior 4" or 6" High Curb

SAF-ACWU

SOLAR FANS



KEY FEATURES:

- 20.75" x 20.75" aluminum curb
- Sized to fit all Natural Light curb mount solar attic fans
- Choice of 4" or 6" high curb
- Natural spruce wood interior
- .062" extruded aluminum exterior with welded corners
- Pre-drilled screw holes for fast and easy installation
- Individually boxed

PRE-BUILT CURB ADVANTAGES:

- Saves time and simplifies installation
- Superior to galvanized metal or site-built curbs

AVAILABLE OPTIONS:


- Powder coated black satin exterior
- Powder coated bronze gloss exterior
- Mill finish exterior

FITS THESE NATURAL LIGHT MODELS:

- SAF32CM
- SAF48CM
- SAF65CM
- SAF35LPCM

WARRANTY:

- 10-Year limited warranty against defects in workmanship and materials



Roof Pitch

20.75" x 20.75"

CURB SIZE

ROUGH OPENING Diameter	OUTSIDE FLANGE Width x Length	OUTSIDE CURB Width x Length
14" for 16" on Center	28.75" x 28.75"	20.75" x 20.75"
19" for 21" on Center		

SAF-ACWU WITH 4" CURB

MODEL NUMBER	WEIGHT
SAF - ACWU4	22 lbs

SAF-ACWU WITH 6" CURB

MODEL NUMBER	WEIGHT
SAF - ACWU6	25 lbs



ROOF MOUNT with REMOTE PANEL SOLAR ATTIC FAN

- Used where there is limited sunshine available to installed fan
- Panel is installed away from fan assembly in a sunny area capturing the maximum amount of sunlight for optimal fan performance

Black	MODEL Bronze	Gray	PRODUCT DESCRIPTION
SAF32BL-Remote	SAF32BR-Remote	SAF32GR-Remote	32W Remote/Roof Mount (output up to 1,560 cfms)
SAF48BL-Remote	SAF48BR-Remote	SAF48GR-Remote	48W Remote/Roof Mount (output up to 1,881 cfms)
SAF65BL-Remote	SAF65BR-Remote	SAF65GR-Remote	65W Remote/Roof Mount (output up to 2,105 cfms)

CURB MOUNT with REMOTE PANEL SOLAR ATTIC FAN

- Used where there is limited sunshine available to installed fan
- Panel is installed away from fan assembly in a sunny area capturing the maximum amount of sunlight for optimal fan performance
- Installs over pre-built curb or Natural Light SAF-ACWU curb

Black	MODEL Bronze	Gray	PRODUCT DESCRIPTION
SAF32CMBL-Remote	SAF32CMBR-Remote	SAF32CMGR-Remote	32W Remote/Curb Mount (output up to 1,560 cfms)
SAF48CMBL-Remote	SAF48CMBR-Remote	SAF48CMGR-Remote	48W Remote/Curb Mount (output up to 1,881 cfms)
SAF65CMBL-Remote	SAF65CMBR-Remote	SAF65CMGR-Remote	65W Remote/Curb Mount (output up to 2,105 cfms)

THERMAL SNAP SWITCH



- Turns fan on when attic temperature reaches 80°F
- Turns off at 70°F

MODEL	PRODUCT
SAFTS	Thermal Switch

FIRE SAFETY SWITCH



- Helps prevent spread of attic fires by shutting down fan
- Installed alone or with thermal switch

MODEL	PRODUCT
FSCS	Fire Safety Switch

GARAGE VENT KIT



- Converts roof or curb mount fan into garage venting system
- Radiation Damper Kit available (required in some loactions)

MODEL	PRODUCT
Garage Vent	Garage Vent Kit
Garage Vent W/D	Garage Vent Kit w/Damper

TILE FLASHING SKIRT



- Used for tile installations
- Installs over flashing for weather-tight installation

MODEL	PRODUCT
13S	Flashing Skirt

TURRET EXTENSION



- Used of high profile S-tile roofs
- Includes protective animal screen

MODEL	PRODUCT
SAF-EXT	Turret Extension